

Subject Index

A

- AAA⁺ ATPase family
 - DnaA protein and, 360–61
- abaA* gene
 - virulence genes in dimorphic fungal pathogens and, 284
- abc* genes
 - multilocus sequence typing and, 570
- ABC transporter
 - Mn²⁺ in transport and virulence, 187–90, 193–95, 198–99, 201
- Acacia decurrens*
 - Cryptococcus neoformans* species complex and, 78
- Acanthamoeba castellanii*
 - Cryptococcus neoformans* species complex and, 79
 - Francisella tularensis* and, 169
- Acidaminococcus fermentans*
 - radical enzymes in anaerobes and, 37
- Acinetobacter baumannii*
 - multilocus sequence typing and, 577
- acpA* gene
 - Francisella tularensis* and, 176
- Acquired immunodeficiency syndrome (AIDS)
 - Cryptococcus neoformans* species complex and, 70, 72, 83, 88
- Acrylate
 - radical enzymes in anaerobes and, 29
- Actinomyces naeslundii*
 - surface proteins of gram-positive bacteria and, 405–6
- Acyl-CoA dehydrogenase
 - radical enzymes in anaerobes and, 30
- Adaptation
 - competence induction and, 458
 - RNA silencing and, 503
- Roseobacter* lineage environmental biology and, 256, 260, 263–64, 273
- Adaptive mutation controversy
 - advantages of mutagenesis, 493
 - aging colonies, 490–91
 - amplification model, 483–90
 - arabinose promoter, 490
 - auxotrophs, 492
 - bacteria, 492–93
 - broader implications, 495
 - Cairns system, 479–96
 - choosing a model, 485–88
 - cost/benefit analysis, 492–95
 - directing mutagenesis, 495
 - discussion, 488–89
 - duplications, 489–90
 - evolution, 493
 - fitness, 491
 - functional direction, 482
 - futility, 493–94
 - β -galactosidase, 490
 - generally hypermutable state, 482–83
 - growth, 483–85
 - hypermutability, 483
 - introduction, 479
 - kanamycin resistance, 491
 - lac*, 488, 490
 - lack of necessity for mutagenesis, 493
 - long-term growth experiments, 494–95
 - minimizing mutation rates, 492–93
 - mixed clones, 488–89
 - Mu prophage, 490
 - natural isolates, 494
 - natural populations, 492
 - new issues, 489–90

- nongrowing populations, 491–92
- perspectives, 479
- ppK*, 490
- recombination, 488
- reopening of debate, 479–82
- repressor function, 491–92
- reversion, 481–82, 492
- rpoS*, 490
- selection, 483–85, 491–92
- stationary-phase cultures, 491
- strain structure, 480–81
- stress-induced mutagenesis, 482–83, 490–92
- summary points, 496
- temporary increases in mutation rates, 494
- two pathways, 488–89
- yeast, 492
- Adenosylcobalamin
 - radical enzymes in anaerobes and, 29–30, 32
- Adhesins
 - virulence genes in dimorphic fungal pathogens and, 287, 290–91
- adk* genes
 - multilocus sequence typing and, 570
- Aerobic anoxygenic phototrophy
 - Roseobacter* lineage environmental biology and, 255–56, 260–64
- Aeropyrum pernix*
 - arsenic and selenium in microbial metabolism, 108, 117–18
- agf* genes
 - curli biogenesis and function, 132
- Aging colonies
 - adaptive mutation controversy and, 490–91
- AGO* genes
 - RNA silencing and, 508, 510–11, 517–18, 521
- Agrobacterium tumefaciens*
 - arsenic and selenium in microbial metabolism, 115, 117
 - RNA silencing and, 509
 - Tat pathway and, 377, 385
 - type III effector proteins and, 432
 - virulence genes in dimorphic fungal pathogens and, 286, 294
- Alarmones
 - competence induction and, 463
- Alcaligenes faecalis*
 - arsenic and selenium in microbial metabolism, 113, 116–17
- Alcalilimonicola ebrlichei*
 - arsenic and selenium in microbial metabolism, 109–10
- Alexandrium* spp.
 - Roseobacter* lineage environmental biology and, 268–69
- Algae
 - Roseobacter* lineage environmental biology and, 268–69
- Alkaliphilus metalliredigens*
 - arsenic and selenium in microbial metabolism, 116–18
- Allolysis
 - competence induction and, 151
- Alteromonas putrefaciens*
 - uranium reduction and, 151
- Alzheimer's disease
 - curli biogenesis and function, 131, 138
- ami* genes
 - Tat pathway and, 377, 385
- 4-Amino-5-hydroxymethyl-2-methylpyrimidine (HMP)
 - microbial metabolism and, 541–43, 546
- Aminoglycosides
 - competence induction and, 462
- Aminoimidazole carboxamide ribotide (AICAR)
 - microbial metabolism and, 539–40, 542–43
- Aminoimidazole ribotide (AIR)
 - microbial metabolism and, 541–44, 546
- A-motility
 - history of research, 16
- Amphidinium operculatum*
 - Roseobacter* lineage environmental biology and, 268
- Ampicillin resistance
 - Tat pathway and, 387
- Amplification
 - adaptive mutation controversy and, 483–90, 496
 - microbial metabolism and, 539
 - RNA silencing and, 506–7
- Amplified restriction fragment length polymorphism (AFLP)
 - Cryptococcus neoformans* species complex and, 82
- Amyloid fibers
 - curli biogenesis and function, 131, 138–42
- Anacystis nidulans*
 - radical enzymes in anaerobes and, 39
- Anaerobes
 - arsenic and selenium in microbial metabolism, 107–9
 - radical enzymes and, 27–43
 - Tat pathway and, 373
- Anaeromyxobacter dehalogenans*
 - uranium reduction and, 151

- Anapleurotic metabolism
 - Roseobacter* lineage environmental biology and, 262
- Anaromyxobacter* spp.
 - uranium reduction and, 159
- Anchoring
 - surface proteins of gram-positive bacteria and, 397–414
- Anopheles gambiae*
 - RNA silencing and, 508
- Anoxia
 - arsenic and selenium in microbial metabolism, 111
 - Roseobacter* lineage environmental biology and, 255–64
 - uranium reduction and, 159
- Antibiotic resistance
 - adaptive mutation controversy and, 491
 - curli biogenesis and function, 134
 - DnaA protein and, 351, 354, 362–63
 - Tat pathway and, 387
- Antiviral silencing
 - RNA silencing and, 503–23
- aox* genes
 - arsenic and selenium in microbial metabolism, 117–18
 - virulence genes in dimorphic fungal pathogens and, 290
- apb* genes
 - microbial metabolism and, 545–46
- Apoptosis
 - coronavirus replication and virus-host interaction, 211, 213–14
 - Francisella tularensis* and, 175
- aqpS* gene
 - arsenic and selenium in microbial metabolism, 115
- Aquifex aeolicus*
 - arsenic and selenium in microbial metabolism, 120
 - DnaA protein and, 352, 360
- Aquificales* spp.
 - arsenic and selenium in microbial metabolism, 109, 119
- Arabidopsis thaliana*
 - RNA silencing and, 507–21, 523
 - type III effector proteins and, 429–35, 437
- Arabinose promoter
 - adaptive mutation controversy and, 490
- Archaea
 - environmental stress and lesion-bypass DNA polymerases, 231, 242–45
 - radical enzymes in anaerobes and, 27
- Archerase
 - radical enzymes in anaerobes and, 37, 42
- Arginine catabolism
 - virulence genes in dimorphic fungal pathogens and, 292
- aro* genes
 - arsenic and selenium in microbial metabolism, 117
 - multilocus sequence typing and, 570
- arr* genes
 - arsenic and selenium in microbial metabolism, 115, 117–18
- Arsenic
 - microbial metabolism and, 107–22
- ars* genes
 - arsenic and selenium in microbial metabolism, 114–15
- Arteriviruses
 - coronavirus replication and virus-host interaction, 211
- Arthropods
 - microbial genome architecture and, 341–42
- A-signal
 - history of research, 12–13
- aso* genes
 - arsenic and selenium in microbial metabolism, 117
- Aspergillus fumigatus*
 - Cryptococcus neoformans* species complex and, 79, 88
- Asymmetric surface localization
 - surface proteins of gram-positive bacteria and, 409–12
- ATPases
 - DnaA protein and, 360–61
- Attachment
 - curli biogenesis and function, 141
 - surface proteins of gram-positive bacteria and, 397–414
- Autofertilization
 - Cryptococcus neoformans* species complex and, 91
- Autolysins
 - surface proteins of gram-positive bacteria and, 409–11
- Auxotrophs
 - adaptive mutation controversy and, 492
- Avr* genes
 - type III effector proteins and, 429, 432, 435–37, 440
- Azoarcus* spp.

- arsenic and selenium in microbial metabolism, 116, 121
 - uranium reduction and, 159
- B**
- "Baby machine" method
 - DnaA protein and, 353
 - Bacillus anthracis*
 - Mn²⁺ in transport and virulence, 189, 198
 - multilocus sequence typing and, 563
 - surface proteins of gram-positive bacteria and, 403
 - Bacillus* spp.
 - arsenic and selenium in microbial metabolism, 109, 111, 115-19
 - multilocus sequence typing and, 576
 - surface proteins of gram-positive bacteria and, 403, 408, 412
 - Bacillus subtilis*
 - competence induction and, 451-54, 456-60, 462-67
 - Cryptococcus neoformans* species complex and, 78
 - DnaA protein and, 359
 - microbial metabolism and, 535, 538
 - Mn²⁺ in transport and virulence, 189-91, 193-94
 - radical enzymes in anaerobes and, 34
 - surface proteins of gram-positive bacteria and, 399, 401-3, 409-10, 412
 - Tat pathway and, 374-75, 380
 - Bacterial artificial chromosome (BAC)
 - Roseobacter* lineage environmental biology and, 257, 271
 - Bacteriochlorophyll *a*
 - Roseobacter* lineage environmental biology and, 257
 - Bacteriophage λ
 - history of research, 2-8
 - Bacteriophage μ
 - adaptive mutation controversy and, 490
 - BAD1* gene
 - virulence genes in dimorphic fungal pathogens and, 281, 287-88, 295
 - Basal defense
 - type III effector proteins and, 435-37
 - Based upon related sequence types (BURST)
 - analysis
 - multilocus sequence typing and, 573
 - Basidiospores
 - Cryptococcus neoformans* species complex and, 80-83, 90-91
 - Batrachochytrium dendrobatidis*
 - multilocus sequence typing and, 577
 - bcg* genes
 - Mn²⁺ in transport and virulence, 188, 195, 197
 - Bean pod mottle virus
 - RNA in icosahedral virus assembly and, 54-55
 - Benzoyl-CoA reductase
 - radical enzymes in anaerobes and, 27, 38-39
 - Beta binding motif
 - DnaA protein and, 360
 - Biofilms
 - curli biogenesis and function, 131, 136-38, 142
 - Francisella tularensis* and, 171
 - Roseobacter* lineage environmental biology and, 270
 - Biogeochemical cycles
 - arsenic and selenium in microbial metabolism, 107, 109-11
 - Roseobacter* lineage environmental biology and, 255-56, 260-62, 264-67, 272-73
 - Bioinformatics
 - microbial metabolism and, 536, 538, 549
 - BIOLINIX initiative
 - multilocus sequence typing and, 568, 573
 - Bioremediation
 - uranium reduction and, 149-60
 - Biotechnology
 - Tat pathway and, 373, 386-88
 - Biowarfare
 - Francisella tularensis* and, 167-70
 - Blastomyces dermatitidis*
 - virulence genes in dimorphic fungal pathogens and, 282-83, 287-88, 290, 293, 295
 - BLAST program
 - arsenic and selenium in microbial metabolism, 120
 - Blochmannia* spp.
 - microbial genome architecture and, 341
 - Blood-brain barrier
 - Cryptococcus neoformans* species complex and, 74-75, 88, 93
 - Bordetella* spp.
 - multilocus sequence typing and, 577
 - Bottlenecking
 - multilocus sequence typing and, 565
 - Bradyrhizobium japonicum*
 - surface proteins of gram-positive bacteria and, 403
 - type III effector proteins and, 438
 - Brome mosaic virus
 - RNA in icosahedral virus assembly and, 63

- btrA* gene
competence induction and, 455
- Buchnera aphidicola*
microbial genome architecture and, 341–42
- Bugula neritica*
Roseobacter lineage environmental biology and, 267
- Bulk DNA hypothesis
microbial genome architecture and, 332–33
- Burkholderia* spp.
arsenic and selenium in microbial metabolism, 120
 Mn^{2+} in transport and virulence, 191
multilocus sequence typing and, 576
Roseobacter lineage environmental biology and, 270
- Butyryl-CoA
radical enzymes in anaerobes and, 31
- BYSI* gene
virulence genes in dimorphic fungal pathogens and, 293
- C**
- Caenorhabditis elegans*
Cryptococcus neoformans species complex and, 79
microbial genome architecture and, 331
RNA silencing and, 507–8
- Cairns system
adaptive mutation controversy and, 479–82, 486–88, 490, 492–93, 495–96
- Campylobacter* spp.
arsenic and selenium in microbial metabolism, 120
multilocus sequence typing and, 574, 576–77
- Cancer
adaptive mutation controversy and, 477, 496
- Candida* spp.
Cryptococcus neoformans species complex and, 79, 88
multilocus sequence typing and, 575–77
- Cap primers
RNA replication structure and function, 312
- Carbon
 Mn^{2+} in transport and virulence, 200
Roseobacter lineage environmental biology and, 255–56, 260–62, 264, 272–73
- Carbon monoxide (CO)
Roseobacter lineage environmental biology and, 255, 264–65
- Carboxydotherrnus hydrogeniformans*
arsenic and selenium in microbial metabolism, 120
- Catabolism
virulence genes in dimorphic fungal pathogens and, 292
- CAT* genes
virulence genes in dimorphic fungal pathogens and, 290
- Cation transport
 Mn^{2+} in transport and virulence, 191–93
- cbp* genes
competence induction and, 456
virulence genes in dimorphic fungal pathogens and, 281, 285, 287, 295
- cdgR* gene
 Mn^{2+} in transport and virulence, 200
- Cell-based assays
RNA silencing and, 510
- Cell cycle
coronavirus replication and virus-host interaction, 211, 213–14
DnaA protein and, 351–63
- Cell density
competence induction and, 460
- Cell envelope
Tat pathway and, 373
- Cell metabolism
arsenic and selenium in microbial metabolism, 112–21
- Cellulomonas* spp.
uranium reduction and, 151
- Cellulose
curli biogenesis and function, 137
- Cellulosome
surface proteins of gram-positive bacteria and, 408–9
- Cell wall
surface proteins of gram-positive bacteria and, 397–414
- Cenibacterium arsenoxidans*
arsenic and selenium in microbial metabolism, 116–17
- Central nervous system (CNS)
Cryptococcus neoformans species complex and, 71–72, 74–75, 86, 88
- Cephalexin
DnaA protein and, 354, 362
- Chicken foot structures
environmental stress and lesion-bypass DNA polymerases, 233
- Chlamydia* spp.
type III effector proteins and, 426

- chl* genes
 - arsenic and selenium in microbial metabolism, 121
- Chlorobium* spp.
 - arsenic and selenium in microbial metabolism, 108, 116–18
- Chloroflexus aurantiacus*
 - arsenic and selenium in microbial metabolism, 108, 116–18
- Choline-binding proteins
 - surface proteins of gram-positive bacteria and, 407
- Chondromyces* spp.
 - history of research, 10
- Chrysiogenes arsenatis*
 - arsenic and selenium in microbial metabolism, 115–18
- cI/cII/cIII* genes
 - history of research, 4–5, 8
- cibAB* gene
 - competence induction and, 456
- Ciprofloxacin
 - Francisella tularensis* and, 175
- Cloning
 - Cryptococcus neoformans* species complex and, 84–86
 - multilocus sequence typing and, 566, 574
- Clostridium* spp.
 - arsenic and selenium in microbial metabolism, 113, 116, 118–20
 - radical enzymes in anaerobes and, 29, 31–32, 36–37, 40
 - surface proteins of gram-positive bacteria and, 405–8
 - uranium reduction and, 151
- dpl* gene
 - competence induction and, 455
- Coat proteins
 - RNA in icosahedral virus assembly and, 51–64
- Cob(II)alamin
 - radical enzymes in anaerobes and, 29–30, 32–33
- Coccidioides* spp.
 - virulence genes in dimorphic fungal pathogens and, 282–83, 287–89, 293, 295
- Coenzyme B₁₂
 - radical enzymes in anaerobes and, 27, 29–32, 42
- Coevolution
 - Cryptococcus neoformans* species complex and, 88
- Cofactors
 - Mn²⁺ in transport and virulence, 199–200
 - Tat pathway and, 373–88
- Cohesive ends
 - λ DNA
 - history of research, 6–7
- Coinfiltration assay
 - RNA silencing and, 509, 522
- Colinearity
 - history of research, 1
- Cokwella psychrerythraea*
 - surface proteins of gram-positive bacteria and, 403
- com* genes
 - competence induction and, 453–56, 458–59, 461–62
- Compartmentalization
 - RNA replication structure and function, 315
- Competence induction
 - stress response in gram-positive bacteria and adaptive responses, 458
 - aminoglycosides, 462
 - Bacillus subtilis*, 452–54, 457–60, 463–65
 - cell density, 460
 - chromosome repair, 462–63
 - com* genes, 454–56
 - ComK, 458–59
 - conclusions, 466
 - CSP-responsive genes, 455
 - diversity, 463–65
 - DNA uptake, 462–63
 - fitness-enhancing strategies, 463–65
 - fratricide, 456, 464–65
 - future research, 467
 - genomic profiling, 454–58
 - introduction, 452
 - K-state, 457–60
 - mitomycin C, 462
 - on-off switch, 465
 - quinolones, 462
 - regulatory cascades, 453–54
 - signals, 460–62
 - sobrinicide, 464–65
 - SOS response, 463–65
 - Streptococcus pneumoniae*, 452–55, 460–65
 - summary points, 466–67
 - transformation, 455–56
 - two-pronged regulation, 458–59
 - X-state, 454–56
- Conditional growth
 - microbial metabolism and, 540–41
- Contamination
 - environmental
 - uranium reduction and, 149–60

- Contingency loci
 - adaptive mutation controversy and, 495
- Coronaviruses (CoVs)
 - replication and virus-host interaction
 - apoptosis, 213–14
 - cell compartment, 215
 - cell cycle, 213–14
 - cell proteins, 215–19, 221
 - genome replication, 216–18
 - host cells, 212–13
 - host systems, 214–15
 - introduction, 212
 - signal pathway, 212–15
 - summary points, 222
 - transcription, 212–13, 218–21
 - translation, 212–13, 215–16
 - viral proteins, 215–19, 221
- Corynebacterium diphtheriae*
 - Mn²⁺ in transport and virulence, 189, 194
 - surface proteins of gram-positive bacteria and, 405–6
- Counterselection
 - adaptive mutation controversy and, 494–95
- Coussapoa* spp.
 - Cryptococcus neoformans* species complex and, 77
- Covalent attachment
 - surface proteins of gram-positive bacteria and, 403–6
- Crassostrea virginica*
 - Roseobacter* lineage environmental biology and, 269
- p*-Cresol
 - radical enzymes in anaerobes and, 36
- Croton* spp.
 - Cryptococcus neoformans* species complex and, 77
- Cryptococcus neoformans* species complex
 - acute infection, 72
 - animals, 75–77
 - biological variation, 87–90
 - clonal reproduction, 84–86
 - Cryptococcus gattii*, 77–78
 - Cryptococcus neoformans* var. *grubii*, 78
 - dispersal, 80–82
 - distribution, 83–84
 - eucalyptus trees, 77–78
 - evolution, 92
 - fertility, 86–87
 - genetic variation, 87–90
 - genome structure, 88
 - heterologous hosts, 78–79
 - humans, 71–75
 - hybrids, 89–92
 - infection, 71–82
 - introduction, 70–71
 - koala, 77
 - latent infection, 72
 - life cycle, 79–80, 88–89
 - mating types, 82–87
 - meningoencephalitis, 74–75
 - mixed infection, 72–75
 - Mn²⁺, 192
 - molecular types, 82–87
 - neurotropism, 74–75
 - organs involved, 71–72
 - pathogenic variation, 87–90
 - phenotypic variation, 87–90
 - pigeons, 76–77
 - polymorphism, 88–90
 - route of infection, 71–72
 - serotypes, 82–87
 - sexual reproduction, 84–86
 - single infection, 72–75
 - speciation, 90–92
 - summary points, 93
 - transport, 192
 - trees, 77–78
 - virulence, 86–90
- csg* genes
 - curli biogenesis and function, 132–42
 - history of research, 13, 15
- C-signal
 - history of research, 13–14
- CTS1* gene
 - virulence genes in dimorphic fungal pathogens and, 292
- c-type cytochromes
 - uranium reduction and, 149
- Cupressus lusitanica*
 - Cryptococcus neoformans* species complex and, 78
- Curated databases
 - multilocus sequence typing and, 564, 571–73, 578–79
- Curli fibers
 - biogenesis and function
 - amyloids, 138–40
 - attachment, 141
 - biofilms, 137–38
 - biogenesis, 132–35
 - conclusions, 141–42
 - extracellular matrix, 137
 - gene regulation, 135–37
 - introduction, 132
 - invasion, 141
 - pathogenesis, 140–41

- summary points, 142
- 3',5'-Cyclic diguanylate
 - Mn²⁺ in transport and virulence, 200
- Cytochromes
 - uranium reduction and, 149
- Cytokines
 - Francisella tularensis* and, 167, 176–78
- Cytoplasmic membrane
 - surface proteins of gram-positive bacteria and, 399–403
 - Tat pathway and, 373–88
- Cytosol
 - Francisella tularensis* and, 174–75

D

- dam* genes
 - DnaA protein and, 354–56
- datA* gene
 - DnaA protein and, 351, 361–63
- DCL genes
 - RNA silencing and, 507–8, 518–21, 523
- Dechloromonas agitata*
 - arsenic and selenium in microbial metabolism, 116, 121, 159
- Dehydratases
 - radical enzymes in anaerobes and, 27, 30–32, 34, 38
- Dehydrogenases
 - radical enzymes in anaerobes and, 29–30
- Deinococcus radiodurans*
 - uranium reduction and, 151
- Demethylation
 - arsenic and selenium in microbial metabolism, 111, 119, 122
- 5-Deoxyadenosyl radical
 - radical enzymes in anaerobes and, 31–33
- Desulfobacterium bafniense*
 - arsenic and selenium in microbial metabolism, 116–17
- Desulfomaculatum reducens*
 - uranium reduction and, 151–52, 154
- Desulfomicrobium norvegicum*
 - uranium reduction and, 151
- Desulfosporosinus* spp.
 - arsenic and selenium in microbial metabolism, 110, 116–18
 - uranium reduction and, 151–52
- Desulfovibrio* spp.
 - arsenic and selenium in microbial metabolism, 113, 116, 119–20
 - radical enzymes in anaerobes and, 40

- uranium reduction and, 151–54, 156–57
- Desulfuromonas* spp.
 - arsenic and selenium in microbial metabolism, 120
 - uranium reduction and, 159
- Detoxification
 - arsenic and selenium in microbial metabolism, 107–8
 - Tat pathway and, 373
- dev* operon
 - history of research, 14–15
- Dictyostelium discoideum*
 - Cryptococcus neoformans* species complex and, 79
 - history of research, 10
- Dideoxychain termination method
 - multilocus sequence typing and, 569
- Dimethylsulfide (DMS)
 - Roseobacter* lineage environmental biology and, 265
- Dimethylsulfoniopropionate (DMSP)
 - Roseobacter* lineage environmental biology and, 265–66
- Dimethyl sulfoxide (DMSO)
 - arsenic and selenium in microbial metabolism, 116–18, 122
 - Tat pathway and, 376–77
- Dimorphic fungal pathogens
 - virulence genes and
 - adhesins, 290–91
 - arginine catabolism, 292
 - Blastomyces*, 287–88
 - candidate virulence factors, 289
 - cell surface composition, 292
 - Coccidioides*, 288
 - conclusions, 295
 - future research, 294–95
 - Histoplasma*, 285–87
 - melanin, 290
 - molecular determinants, 284–85
 - overview, 282–83
 - Paracoccidioides*, 289
 - parasitic life cycle regulation, 292
 - parasitic phase-based screens, 292–94
 - pulmonary defenses, 283–84
 - secreted products, 291–92
 - summary points, 295
- din* genes
 - adaptive mutation controversy and, 481–82, 484–88, 490, 495–96
 - competence induction and, 457
 - environmental stress and lesion-bypass DNA polymerases, 234–37, 243

- Dinoflagellate toxins
 - Roseobacter* lineage environmental biology and, 255, 267–68
 - Dinoroseobacter shibae*
 - Roseobacter* lineage environmental biology and, 262, 271
 - Dioxygen
 - radical enzymes in anaerobes and, 27, 32
 - Directional mutation pressure
 - microbial genome architecture and, 329–31
 - Disease resistance
 - type III effector proteins and, 425
 - Dispersal
 - Cryptococcus neoformans* species complex and, 80–82
 - Dissimilatory metal-reducing bacteria (DMRB)
 - uranium reduction and, 151–52
 - Diversity
 - arsenic and selenium in microbial metabolism, 108–9, 122
 - competence induction and, 451, 463–67
 - Roseobacter* lineage environmental biology and, 257–60, 271
 - DnaA protein
 - controlling initiation of bacterial DNA replication
 - AAA⁺ ATPase family, 360–61
 - asynchronous initiations, 362–63
 - beta binding motif, 360
 - cell cycle-dependent events, 352–54
 - datA*, 361–63
 - DNA polymerase III, 358–59
 - eclipse period, 355–57
 - ectopic chromosomal sites, 362
 - extra initiations, 363
 - bda*, 358–61
 - introduction, 352
 - media-dependent initiations, 362–63
 - nucleotide-bound state, 357–61
 - oriC*, 355–57
 - regulatory pathways, 354–63
 - RIDA activity, 358–60
 - rifampicin, 363
 - seqA*, 355–57
 - DNA fingerprinting
 - Cryptococcus neoformans* species complex and, 73, 82, 87, 90
 - dna* genes
 - competence induction and, 455
 - DnaA protein and, 352, 354–55, 358–60, 363
 - environmental stress and lesion-bypass DNA polymerases, 234, 241
 - DNA polymerases
 - DnaA protein and, 351, 358–59, 363
 - environmental stress and lesion-bypass DNA polymerases, 231, 234–41
 - DNA viruses
 - RNA silencing and, 520
 - Dodecahedral packaging
 - RNA in icosahedral virus assembly and, 60–61
 - dpo4* gene
 - environmental stress and lesion-bypass DNA polymerases, 244
 - dprA* gene
 - competence induction and, 456
 - Drosophila melanogaster*
 - Cryptococcus neoformans* species complex and, 79
 - history of research, 17
 - microbial genome architecture and, 331
 - RNA silencing and, 505–6, 508, 510–11, 515–18, 521
 - dsp* genes
 - history of research, 16
 - Duplication
 - adaptive mutation controversy and, 489–90
- ## E
- ebg* genes
 - adaptive mutation controversy and, 490
 - Eclipse period
 - DnaA protein and, 355–57
 - Ecology
 - arsenic and selenium in microbial metabolism, 107–11
 - Cryptococcus neoformans* species complex and, 69, 90
 - Roseobacter* lineage environmental biology and, 255–56, 261
 - Ectopic chromosomal sites
 - DnaA protein and, 362
 - Effectors
 - RNA silencing and, 505–6
 - type III effector proteins and, 425–41
 - ego-1* gene
 - RNA silencing and, 507
 - Electron transfer
 - radical enzymes in anaerobes and, 27, 33–34
 - uranium reduction and, 149–60
 - Electroparamagnetic spin resonance (EPR) spectroscopy
 - radical enzymes in anaerobes and, 31–35, 37–39

- Eliminases
 - radical enzymes in anaerobes and, 31
- Elongation
 - RNA replication structure and function, 313
- Encapsidation
 - RNA in icosahedral virus assembly and, 61–62
- End-to-end joining
 - history of research, 8–9
- Endobugula sertula*
 - Roseobacter* lineage environmental biology and, 267
- Endosymbionts
 - microbial genome architecture and, 327, 339–43
- eno* genes
 - Mn²⁺ in transport and virulence, 200
- Enterobacteriaceae*
 - curli biogenesis and function, 131–42
- Enterococcus faecalis*
 - Mn²⁺ in transport and virulence, 189, 198
 - multilocus sequence typing and, 576
 - surface proteins of gram-positive bacteria and, 405
- Environmental biology
 - Roseobacter* lineage and, 255–73
 - uranium reduction and, 149–60
- Epidemiology
 - Cryptococcus neoformans* species complex and, 69, 90
 - multilocus sequence typing and, 561, 568, 582
- Episomal plasmids
 - virulence genes in dimorphic fungal pathogens and, 286
- Erwinia* spp.
 - type III effector proteins and, 425, 427, 429, 433, 439
- Erythromycin
 - competence induction and, 462
 - curli biogenesis and function, 134
- Escherichia coli*
 - adaptive mutation controversy and, 481, 489–90, 493, 495
 - arsenic and selenium in microbial metabolism, 114, 116, 119–20
 - competence induction and, 462–63
 - Cryptococcus neoformans* species complex and, 78
 - curli biogenesis and function, 131–38, 140–41
 - DnaA protein and, 351–63
 - environmental stress and lesion-bypass DNA polymerases, 231–33, 235–38, 240–45
 - Francisella tularensis* and, 170, 172–73
 - history of research, 3, 5–9, 11
 - microbial genome architecture and, 331–32
 - microbial metabolism and, 535, 538
 - Mn²⁺ in transport and virulence, 189–91, 193–94, 199
 - multilocus sequence typing and, 577
 - radical enzymes in anaerobes and, 34
 - RNA replication structure and function, 309
 - Roseobacter* lineage environmental biology and, 258–59
 - surface proteins of gram-positive bacteria and, 399, 405, 409
 - Tat pathway and, 373–75, 377–86
- Eubacterium* spp.
 - arsenic and selenium in microbial metabolism, 120
 - radical enzymes in anaerobes and, 31–32
- Eucalyptus* spp.
 - Cryptococcus neoformans* species complex and, 77–78
- Evolution
 - adaptive mutation controversy and, 477–96
 - arsenic and selenium in microbial metabolism, 122
 - Cryptococcus neoformans* species complex and, 69, 83, 88, 90, 92
 - environmental stress and lesion-bypass DNA polymerases, 231
 - history of research, 10–11
 - microbial genome architecture and, 327–43
 - microbial metabolism and, 536
 - multilocus sequence typing and, 564–66, 578–80, 582
 - radical enzymes in anaerobes and, 28–30
 - RNA replication structure and function, 311–12
 - RNA silencing and, 513–14, 516
 - Roseobacter* lineage environmental biology and, 256, 260, 273
- Export
 - adaptive mutation controversy and, 492
 - Tat pathway and, 373–88
- ExPortal
 - surface proteins of gram-positive bacteria and, 410
- Expressed sequence tags (ESTs)
 - virulence genes in dimorphic fungal pathogens and, 293
- Extracellular matrix
 - curli biogenesis and function, 131–42

F

Factor XII

- curli biogenesis and function, 140

feoB gene

- Mn²⁺ in transport and virulence, 197

Ferredoxin

- radical enzymes in anaerobes and, 27, 30, 32–33, 40–42

Fertility

- Cryptococcus neoformans* species complex and, 85–87, 92

Fe-S cluster metabolism

- microbial metabolism and, 545–46

Fibrin/fibrinogen

- curli biogenesis and function, 140

Ficus soatensis

- Cryptococcus neoformans* species complex and, 77

Filobasidiella spp.

- Cryptococcus neoformans* species complex and, 92

Fitness

- adaptive mutation controversy and, 491–92, 495
- competence induction and, 451, 457, 463–65, 467

Flavin adenine dinucleotide (FAD)

- radical enzymes in anaerobes and, 27, 39–40

Flock house virus

- RNA in icosahedral virus assembly and, 56

Fluoroquinolones

- competence induction and, 462

Flux

- microbial metabolism and, 540, 544

Foldases

- surface proteins of gram-positive bacteria and, 412

Francisella tularensis

- apoptosis, 175
- biowarfare, 169–70
- conclusions, 177
- cytokines, 176–77
- cytosol, 174–75
- genetics, 172–73
- genome, 172–73
- geographic distribution, 168–69
- host defense, 176–77
- immunopathogenesis, 173–77
- introduction, 168
- lipopolysaccharide, 170–71
- macrophages, 173–75
- neutrophils, 175–76
- phagocytosis, 173, 176–77
- phagosome, 174–75

receptors, 173

structure, 170–71

summary points, 178

taxonomy, 168–69

Fratricide

- competence induction and, 451, 456, 464–67

fruA gene

- history of research, 15

Fruiting bodies

- history of research, 9–11, 13–15

frz genes

- history of research, 15, 17

fts genes

- DnaA protein and, 359

Full-length RNA structure models

- RNA in icosahedral virus assembly and, 57–59

fumC gene

- multilocus sequence typing and, 570

Functional direction of mutagenesis model

- adaptive mutation controversy and, 482

Fungi

- arsenic and selenium in microbial metabolism, 109, 112

- Cryptococcus neoformans* species complex and, 69–93

- curli biogenesis and function, 139

- Mn²⁺ in transport and virulence, 192

- multilocus sequence typing and, 575

- virulence genes in dimorphic fungi and, 281–95

fur genes

- environmental stress and lesion-bypass DNA polymerases, 242

- Francisella tularensis* and, 172

- Mn²⁺ in transport and virulence, 194

Fusobacterium nucleatum

- radical enzymes in anaerobes and, 29, 31, 36, 39

G

gal operon

- history of research, 5, 7

β-Galactosidase

- adaptive mutation controversy and, 481, 490

Galleria mellonella

- Cryptococcus neoformans* species complex and, 79

gdb genes

- multilocus sequence typing and, 570

Gene disruption

- virulence genes in dimorphic fungal pathogens and, 286

Genomics

- adaptive mutation controversy and, 492, 495–96
 - arsenic and selenium in microbial metabolism, 107
 - competence induction and, 451, 454–58, 462
 - coronavirus replication and virus-host interaction, 216–18
 - Cryptococcus neoformans* species complex and, 88, 90
 - environmental stress and lesion-bypass DNA polymerases, 231
 - Francisella tularensis* and, 167, 171–73, 178
 - history of research, 5, 12
 - microbial genome architecture and, 327–43
 - microbial metabolism and, 533, 536, 538, 549
 - Mn²⁺ in transport and virulence, 193
 - RNA in icosahedral virus assembly and, 51–64
 - RNA replication structure and function, 305–7, 309–11, 315–17
 - Roseobacter* lineage environmental biology and, 255, 257–58, 260, 271–72
 - surface proteins of gram-positive bacteria and, 403–5
 - type III effector proteins and, 439–40
 - virulence genes in dimorphic fungal pathogens and, 281
- Geobacter* spp.
- arsenic and selenium in microbial metabolism, 120
 - uranium reduction and, 152–54, 156, 158–59
- Gliding motility
- history of research, 15–18
- α -(1,3)-Glucan
- virulence genes in dimorphic fungal pathogens and, 281, 285, 287, 295
- Glutamate
- radical enzymes in anaerobes and, 29, 31
- Glycerol dehydratase
- radical enzymes in anaerobes and, 32, 34
- Glycyl radical
- radical enzymes in anaerobes and, 27, 29–31, 34–36
- gly genes
- DnaA protein and, 361
- gor genes
- Tat pathway and, 384, 386
- GP43 transgene
- virulence genes in dimorphic fungal pathogens and, 291
- gpm genes
- Mn²⁺ in transport and virulence, 200

Grafting assay

- RNA silencing and, 509–10

Gram-negative bacteria

- type III effector proteins and, 425–41

Gram-positive bacteria

- competence induction and, 451–67
- surface proteins and, 397–414

Greenhouse gases

- Roseobacter* lineage environmental biology and, 255, 264–65

gro genes

- competence induction and, 455
- environmental stress and lesion-bypass DNA polymerases, 243
- history of research, 9

Growth

- adaptive mutation controversy and, 477–96
- microbial metabolism and, 540–41

Growth advantage in stationary phase (GASP)

- phenomenon
- adaptive mutation controversy and, 491

grpE gene

- competence induction and, 455

gobA gene

- microbial metabolism and, 545–46

Guettarda acreana

- Cryptococcus neoformans* species complex and, 78

Gus transgene

- RNA silencing and, 509

GW repeat modules

- surface proteins of gram-positive bacteria and, 407–8

Gymnodinium spp.

- Roseobacter* lineage environmental biology and, 267–68

gyrB gene

- DnaA protein and, 356

H

Haemophilus influenzae

- arsenic and selenium in microbial metabolism, 120
- competence induction and, 457, 462–63
- microbial metabolism and, 547
- multilocus sequence typing and, 576

Halobacterium spp.

- radical enzymes in anaerobes and, 40
- Tat pathway and, 375, 377

Haloferax volcanii

- Tat pathway and, 375, 377–78, 380

bda genes

- DnaA protein and, 351, 358–61
 - Helicobacter* spp
 - arsenic and selenium in microbial metabolism, 120
 - multilocus sequence typing and, 576
 - Tat pathway and, 386
 - Hematite
 - uranium reduction and, 160
 - Hemi-methylation
 - DnaA protein and, 351, 356–57, 363
 - Heterologous systems
 - Cryptococcus neoformans* species complex and, 78–79
 - microbial metabolism and, 535–36
 - bflB1* gene
 - Mn²⁺ in transport and virulence, 191
 - High-throughput sequencing
 - multilocus sequence typing and, 561, 566–67, 582
 - bim* genes
 - DnaA protein and, 354
 - bisD* gene
 - environmental stress and lesion-bypass DNA polymerases, 238
 - Histoplasma capsulatum*
 - Cryptococcus neoformans* species complex and, 79
 - virulence genes in dimorphic fungal pathogens and, 282–87, 293, 295
 - bog1* gene
 - RNA silencing and, 520
 - Homolysis
 - radical enzymes in anaerobes and, 28
 - bop* genes
 - type III effector proteins and, 432–33, 435, 437, 440
 - Horizontal gene transfer
 - multilocus sequence typing and, 566
 - Roseobacter* lineage environmental biology and, 273
 - Human immunodeficiency virus (HIV)
 - adaptive mutation controversy and, 492
 - Cryptococcus neoformans* species complex and, 70
 - Huntington's disease
 - curli biogenesis and function, 131
 - bupA* gene
 - DnaA protein and, 354
 - Hybridization
 - Cryptococcus neoformans* species complex and, 69, 84–85, 88–93
 - Hydrogenophaga* spp.
 - arsenic and selenium in microbial metabolism, 117
 - Hypermutable state model
 - adaptive mutation controversy and, 482–83
 - Hyperthermophiles
 - environmental stress and lesion-bypass DNA polymerases, 231, 242–45
 - Hypocbnicium vellereum*
 - Cryptococcus neoformans* species complex and, 92
- ## I
- Icosahedral virus assembly
 - RNA in
 - bean pod mottle virus, 54–55
 - conformational changes, 63
 - dodecahedral packaging, 60–61
 - flock house virus, 56
 - full-length RNA structure models, 57–59
 - high-resolution visualization, 53–54
 - introduction, 52
 - nodaviruses, 60–61
 - pariacoto virus, 56
 - RNA encapsidation/assembly models, 61–62
 - RNA folding, 60
 - RNA packaging, 52–54
 - satellite tobacco mosaic virus, 55–56
 - structural plasticity, 60–61
 - structures of icosahedrally ordered portions of viral RNAs, 54–63
 - summary points, 63–64
 - virion, 62–63
 - Ideonella decoloratans*
 - arsenic and selenium in microbial metabolism, 116, 121
 - igl* genes
 - Francisella tularensis* and, 172–73, 175
 - ibf* genes
 - curli biogenesis and function, 137
 - DnaA protein and, 354, 363
 - itcC* gene
 - microbial metabolism and, 549
 - Immune response
 - coronavirus replication and virus-host interaction, 211
 - Cryptococcus neoformans* species complex and, 69–93
 - Francisella tularensis* and, 167–68, 170, 173–77
 - RNA silencing and, 503–23
 - type III effector proteins and, 425
 - Induction
 - competence induction and, 451, 461, 463–65, 467

- RNA silencing and, 507–8
- Inflammatory response
 - coronavirus replication and virus-host interaction, 211
 - curli biogenesis and function, 131, 141–42
 - Francisella tularensis* and, 167
- Information technology
 - multilocus sequence typing and, 561, 567–68, 582
- Inhibition
 - RNA silencing and, 519–20
- Initiation
 - DnaA protein and, 351–63
 - RNA replication structure and function, 312–13
- Innate immunity
 - RNA silencing and, 508
 - type III effector proteins and, 425
- Insects
 - RNA silencing and, 511
- Insertional mutagenesis
 - virulence genes in dimorphic fungal pathogens and, 286
- In situ bioreduction
 - uranium reduction and, 149–60
- isc* genes
 - microbial metabolism and, 545–46
- Isobutyryl-CoA
 - radical enzymes in anaerobes and, 31
- ity* genes
 - Mn²⁺ in transport and virulence, 188, 195
- K**
 - Kaiser D, 1–18
 - Kanamycin resistance
 - adaptive mutation controversy and, 491
 - competence induction and, 462
 - DnaA protein and, 362
 - history of research, 11
 - Karenia brevis*
 - Roseobacter* lineage environmental biology and, 268
 - Kauffman-White scheme
 - multilocus sequence typing and, 565
 - Ketyl radical anion
 - radical enzymes in anaerobes and, 27, 29, 36–39
 - Klebsiella* spp.
 - arsenic and selenium in microbial metabolism, 118
 - multilocus sequence typing and, 576
 - radical enzymes in anaerobes and, 32
 - Koala
 - Cryptococcus neoformans* species complex and, 77
 - Koch's postulates
 - molecular
 - virulence genes in dimorphic fungal pathogens and, 285
 - K-state
 - competence induction and, 457–59, 466
- L**
 - lac* operon
 - adaptive mutation controversy and, 479–96
 - history of research, 11, 15
 - virulence genes in dimorphic fungal pathogens and, 290
 - β-Lactams
 - competence induction and, 462
 - Lactobacillus* spp.
 - Mn²⁺ in transport and virulence, 189–90
 - radical enzymes in anaerobes and, 31
 - Lactococcus lactis*
 - competence induction and, 461
 - surface proteins of gram-positive bacteria and, 409, 412
 - Laminin
 - curli biogenesis and function, 140
 - Latex agglutination
 - Cryptococcus neoformans* species complex and, 89
 - Legionella pneumophila*
 - Tat pathway and, 377, 386
 - Leishmania donovani*
 - Mn²⁺ in transport and virulence, 188
 - Leptothrix* spp.
 - arsenic and selenium in microbial metabolism, 111
 - Lesion-bypass DNA polymerases
 - environmental stress and
 - archaeal DNA polymerases, 242–44
 - conclusions, 244
 - coordination of multiple DNA polymerases, 240–41
 - DNA damage, 233–34
 - DNA polymerase II, 236–37
 - DNA polymerase III holoenzyme, 240
 - DNA polymerase IV, 237–38
 - DNA polymerase V, 238–39
 - heat-induced DNA damage, 243–44
 - introduction, 232–33
 - mutagenesis, 241–43

nucleotide pool damage, 241–42
 SOS-inducible DNA polymerases, 236
 starvation-induced mutagenesis, 242–43
 summary points, 244–45
 Y-family DNA polymerases, 234–36

Levofloxacin
 competence induction and, 462

lexA gene
 environmental stress and lesion-bypass DNA polymerases, 233, 238, 243

Life cycle
Cryptococcus neoformans species complex and, 69, 79–80, 88–90, 93
 virulence genes in dimorphic fungal pathogens and, 292

Light-harvesting complex
Roseobacter lineage environmental biology and, 262

Linkage disequilibrium
Cryptococcus neoformans species complex and, 85–86

Lipopolysaccharide (LPS)
Francisella tularensis and, 167, 170–71, 174, 177–78

Listeria monocytogenes
 multilocus sequence typing and, 577
 surface proteins of gram-positive bacteria and, 401, 403–4, 407–8, 410, 413

Localized sex
 multilocus sequence typing and, 565–66

Loligo pealei
Roseobacter lineage environmental biology and, 258

LraI protein family
 Mn²⁺ in transport and virulence, 187, 193

lsb genes
 Mn²⁺ in transport and virulence, 188, 195

luc gene
 competence induction and, 461–63

lux gene
Roseobacter lineage environmental biology and, 270

Lysine 2,3-aminomutase
 radical enzymes in anaerobes and, 32–34

LysM domain
 surface proteins of gram-positive bacteria and, 409

Lysogeny
 history of research, 1, 8

lytA gene
 competence induction and, 456

M

macA gene
 uranium reduction and, 156

Macrophages
Francisella tularensis and, 167, 173–75, 178
 Mn²⁺ in transport and virulence, 195–96

Maltose binding protein
 Tat pathway and, 379

Marine microbial communities
Roseobacter lineage environmental biology and, 255–73

Marlierea tomentosa
Cryptococcus neoformans species complex and, 78

MAT genes
Cryptococcus neoformans species complex and, 74, 83–84, 86–88, 90

Mating types
Cryptococcus neoformans species complex and, 69, 74, 80–88, 90, 93

mecA gene
 competence induction and, 457

Melanin
Cryptococcus neoformans species complex and, 78, 91, 93
 virulence genes in dimorphic fungal pathogens and, 290

Membrane proteins
 Tat pathway and, 373–88

Meningoencephalitis
Cryptococcus neoformans species complex and, 69–93

MepI gene
 virulence genes in dimorphic fungal pathogens and, 281, 287, 289, 295

Metabolism
 arsenic and selenium in microbial metabolism, 107–22
 microbial metabolism and, 533
 Mn²⁺ in transport and virulence, 200
Roseobacter lineage environmental biology and, 262, 264
 Tat pathway and, 373
 uranium reduction and, 149–60

Metagenomic libraries
Roseobacter lineage environmental biology and, 255, 257–58, 267, 271–72

Metalloprotease
 virulence genes in dimorphic fungal pathogens and, 281, 289, 295

Methane-forming enzymes
 radical enzymes in anaerobes and, 27, 40–42

- Metanobacterium* spp.
 - arsenic and selenium in microbial metabolism, 107, 112–13
 - surface proteins of gram-positive bacteria and, 403
- Metanococcus* spp.
 - arsenic and selenium in microbial metabolism, 119
- Metanopyrus kandleri*
 - surface proteins of gram-positive bacteria and, 403
- Methylaspartate
 - radical enzymes in anaerobes and, 29
- Methylation
 - arsenic and selenium in microbial metabolism, 107–8, 112–14, 119–20, 122
 - DnaA protein and, 351, 356–57, 363
 - RNA silencing and, 507
- Methyl-CoM reductase
 - radical enzymes in anaerobes and, 27, 30, 41
- Methylmalonyl-CoA
 - radical enzymes in anaerobes and, 31
- Mezorbizobium loti*
 - type III effector proteins and, 438
- mgl* genes
 - Francisella tularensis* and, 172, 175
 - history of research, 17
- mgmL* gene
 - radical enzymes in anaerobes and, 32
- mi* genes
 - history of research, 4
- Microarray analysis
 - virulence genes in dimorphic fungal pathogens and, 286
- Microbial communities
 - Roseobacter* lineage environmental biology and, 255–73
- Microbial genome architecture
 - streamlining and simplification
 - arthropods, 341–42
 - bulk DNA hypothesis, 332–33
 - directional mutation pressure, 329–31
 - efficient removal of mutationally hazardous DNA, 337–39
 - endosymbionts, 339–42
 - eukaryotes, 338–39
 - evolutionary maintenance of compact genomes, 329–34
 - introduction, 328–29
 - introns, 337–38
 - mitochondrial genomics, 339–41
 - mobile elements, 337–38
 - modular gene structure, 338–39
 - mutational burden hypothesis, 333–34
 - operons, 338–39
 - phenotypic modulator, 332–33
 - population genetics, 334–37
 - scaling of genome content/size, 329
 - selfish DNA hypothesis, 332
 - summary points, 342–43
- Microbial metabolism
 - amplification, 539
 - arsenic and selenium in
 - arsenic, 109–18
 - arsenic resistance, 114–15
 - arsenite oxidase, 117–18
 - biogeochemical cycles, 109–11
 - cellular metabolism, 112–21
 - conclusions, 121
 - diversity, 108–9
 - ecology, 109–11
 - future research, 121–22
 - introduction, 108
 - methylation, 112–14, 120
 - organoarsenicals, 114
 - phylogeny, 108–9
 - respiratory arsenate reductase, 115–17
 - respiratory selenate reductase, 121
 - selenium, 110–21
 - selenocysteine, 119–20
 - summary points, 122
 - bench science, 535
 - biochemistry, 537
 - bioinformatics, 536, 538
 - classical genetics, 537–38
 - complexity, 541–49
 - conclusions, 550
 - conditional growth, 540–41
 - core metabolism, 535
 - data interpretation, 538–39, 541
 - Fe-S cluster metabolism, 545–46
 - focal areas of research, 549–50
 - genomics, 536, 538
 - heterologous systems, 535–36
 - instability, 541
 - introduction, 534–35
 - lesions, 541–43
 - low flux, 541
 - metabolic connections, 541–43
 - metabolic nodes, 544–45, 549
 - metabolites, 539–40
 - model organisms, 536–37
 - molecular genetics, 537–38
 - nutrition, 539–40

- ORFs, 546–49
- phenotypic analysis, 546–49
- phosphoribosylsamine, 543–45
- promiscuous enzymes, 539
- purF*, 541–45
- regulation, 539–40
- small-flux changes, 539
- stability, 538–39
- strengths/limitations of tools, 536–38
- summary points, 550
- suppressor analysis, 548–49
- thiamine, 540–43, 545–46
- unique metabolic processes, 535–36
- wild-type strains, 538–39
- ygjF*, 547–48
- Microbulbifer degradans*
 - surface proteins of gram-positive bacteria and, 403
- Micrococcus lactilyticus*
 - uranium reduction and, 151
- Microevolution
 - Cryptococcus neoformans* species complex and, 87
- minD* gene
 - Francisella tularensis* and, 176
- Mitochondria
 - microbial genome architecture and, 339–41
- Mitomycin C
 - competence induction and, 462
- MLSTdBN software
 - multilocus sequence typing and, 571–74, 579
- Mn²⁺
 - in transport and virulence
 - ABC Mn²⁺ permeases, 189, 193
 - animal studies, 196–99
 - Bacillus anthracis*, 198
 - carbon metabolism, 200
 - cation transport, 191–93
 - conclusions, 201
 - 3',5'-cyclic diguanylate, 200
 - Enterococcus faecalis*, 198
 - fur*, 194
 - future research, 201–2
 - introduction, 188–89
 - macrophages, 195–96
 - membrane topology, 191
 - Mn²⁺-dependent enzymes, 199–201
 - mntR*, 194
 - Mycobacterium tuberculosis*, 197
 - Nramp Mn²⁺ transporters, 188–93, 196
 - oral streptococci, 198
 - oxyR*, 194–95
 - perR*, 194–95
 - phosphorylation, 200
 - ppGpp synthases, 200–1
 - Salmonella typhimurium*, 195–99
 - Shigella flexneri*, 198
 - spoT*, 200–1
 - Staphylococcus aureus*, 199
 - summary points, 201
 - superoxide dismutase, 199–200
 - transport, 193–95
 - Yersinia pestis*, 198
- mnt* genes
 - Mn²⁺ in transport and virulence, 191, 194–99
- Mobile elements
 - microbial genome architecture and, 337–38
- Modular gene structure
 - microbial genome architecture and, 338–39
- Moraxella* spp.
 - multilocus sequence typing and, 577
- Roseobacter* lineage environmental biology and, 268
- Moxifloxacin
 - competence induction and, 462
- mtr* genes
 - uranium reduction and, 155
- Multicellular morphogenesis
 - history of research, 1, 4, 9–15
- Multilocus enzyme electrophoresis (MLEE)
 - multilocus sequence typing and, 563–66, 568, 571, 573–74, 578, 580, 582
- Multilocus sequence typing (MLST)
 - alleles, 568, 570–71
 - applications, 574–75, 577, 579–81
 - available schemes, 574–75
 - conclusions, 581–82
 - Cryptococcus neoformans* species complex, 82
 - data analysis, 573–74
 - databases, 570–73
 - designing schemes, 563–64, 568–70
 - evolution, 564–80
 - exploiting advances in knowledge/technology, 568
 - high-throughput sequencing, 566–67
 - information technology, 567–68
 - introduction, 562–68
 - methodologies, 568–74
 - miscellaneous organisms, 581
 - Neisseria* MLST scheme, 575–81
 - nomenclature, 562–63
 - pathogenesis, 580
 - population structure, 564–66, 578–80
 - prospects, 581–82
 - public health policy, 580

- summary points, 582
- typing approaches, 563–64
- Mu prophage
 - adaptive mutation controversy and, 490
- Mutational burden hypothesis
 - microbial genome architecture and, 333–34
- mut* genes
 - DnaA protein and, 355
 - environmental stress and lesion-bypass DNA polymerases, 241
- Mutualism
 - Roseobacter* lineage environmental biology and, 267–70
- Mycobacterium* spp.
 - arsenic and selenium in microbial metabolism, 113
 - Mn²⁺ in transport and virulence, 189, 191, 197
 - surface proteins of gram-positive bacteria and, 401–2
 - Tat pathway and, 386
- Myxococcus xanthus*
 - history of research, 1, 10–13, 15–16, 18
- N
- Nanospheres
 - arsenic and selenium in microbial metabolism, 111
- Nanowires
 - uranium reduction and, 149, 156
- NB-LRR proteins
 - type III effector proteins and, 435
- Negative-strand RNA viruses
 - RNA replication structure and function, 309–10, 316
- Neisseria* spp.
 - competence induction and, 462
 - history of research, 16
 - multilocus sequence typing and, 561, 570–71, 575–82
- Neurotropism
 - Cryptococcus neoformans* species complex and, 74–75, 93
- Nicotiana* spp.
 - RNA silencing and, 519
 - type III effector proteins and, 432
- Nidovirus
 - coronavirus replication and virus-host interaction, 211–22
- Nitrobacter hamburgensis*
 - arsenic and selenium in microbial metabolism, 116–17
- Nitrogen fixation
 - type III effector proteins and, 425, 428
- Nodaviruses
 - RNA in icosahedral virus assembly and, 60–61
- Noncell autonomous silencing
 - RNA silencing and, 507
- Noncovalent attachment
 - surface proteins of gram-positive bacteria and, 406–9
- NOR1* gene
 - virulence genes in dimorphic fungal pathogens and, 290
- Norfloxacin
 - competence induction and, 462
- Nramp transporters
 - Mn²⁺ in transport and virulence, 187–93, 195–201
- Nucleocapsid
 - RNA in icosahedral virus assembly and, 52
- Nucleotide pool damage
 - environmental stress and lesion-bypass DNA polymerases, 241–42
- Nutrition
 - microbial metabolism and, 539–40
- O
- omc* genes
 - uranium reduction and, 155–56
- ompR* gene
 - curli biogenesis and function, 136, 138
- On-off switch
 - competence induction and, 465
- orf135* gene
 - environmental stress and lesion-bypass DNA polymerases, 241
- oriC* gene
 - DnaA protein and, 351–59, 361, 363
- Ostrea edulis*
 - Roseobacter* lineage environmental biology and, 258
- Oxidases
 - arsenic and selenium in microbial metabolism, 107, 116–18
- Oxidation
 - radical enzymes in anaerobes and, 27, 30, 34, 36–39, 42
 - Roseobacter* lineage environmental biology and, 264–65
- 2-Oxoglutarate
 - radical enzymes in anaerobes and, 29
- 2-Oxyacid dehydrogenases

radical enzymes in anaerobes and, 29
oxyR gene
Mn²⁺ in transport and virulence, 194–95

P

Panmictic population structure
multilocus sequence typing and, 566
Paracoccidioides brasiliensis
virulence genes in dimorphic fungal pathogens
and, 282–84, 287, 289–95
Pariacoto virus
RNA in icosahedral virus assembly and, 56
Parkinson's disease
curli biogenesis and function, 138
Pathogen-associated molecular pattern (PAMP)
curli biogenesis and function, 141
Pathogenesis
coronavirus replication and virus-host
interaction, 211
Cryptococcus neoformans species complex and,
69–93
curli biogenesis and function, 131, 140–41
Francisella tularensis and, 167–68, 170,
173–77
Mn²⁺ in transport and virulence, 187–202
multilocus sequence typing and, 569, 575, 580,
582
RNA silencing and, 503–23
Roseobacter lineage environmental biology and,
267–70
Tat pathway and, 385–86
type III effector proteins and, 425–41
virulence genes in dimorphic fungal pathogens
and, 281–95
phsI gene
type III effector proteins and, 435
pcK genes
Mn²⁺ in transport and virulence, 200
pdbC gene
multilocus sequence typing and, 570
pdp genes
Francisella tularensis and, 172, 175
Pelagibacter ubique
Roseobacter lineage environmental biology and,
263
Penicillium spp.
arsenic and selenium in microbial metabolism,
113
virulence genes in dimorphic fungal pathogens
and, 282, 284
Peptidases

surface proteins of gram-positive bacteria and,
401–2
Peptidoglycan
surface proteins of gram-positive bacteria and,
403–6
Periodic selection
multilocus sequence typing and, 565
Periplasm
uranium reduction and, 153
Permeases
Mn²⁺ in transport and virulence, 189, 193
perR gene
Mn²⁺ in transport and virulence, 194–95
Pfiesteria spp.
Roseobacter lineage environmental biology and,
267, 269
pgm genes
multilocus sequence typing and, 570
Phagocytosis
Francisella tularensis and, 173–77
Phase-based screens
virulence genes in dimorphic fungal pathogens
and, 292–94
Phenotypic analysis
adaptive mutation controversy and, 477, 479
Cryptococcus neoformans species complex and,
87–90, 93
microbial genome architecture and, 332–33
microbial metabolism and, 537–40, 546–49
Mn²⁺ in transport and virulence, 187
Pheromones
competence induction and, 451, 453, 463
Phosphoribosylsamine
microbial metabolism and, 541, 543–45
Phosphorylation
Mn²⁺ in transport and virulence, 200
Roseobacter lineage environmental biology and,
261–62
Photobacterium spp.
arsenic and selenium in microbial metabolism,
120
Photosynthesis
Roseobacter lineage environmental biology and,
255–56, 260–64
pbr genes
competence induction and, 460
Phycomyces spp.
history of research, 9, 18
Pigeons
Cryptococcus neoformans species complex and,
76–77
Pigments

- Roseobacter* lineage environmental biology and, 262
- Pil* genes
 - history of research, 16–17
- Pili
 - surface proteins of gram-positive bacteria and, 405–6
- Pilobolus* spp.
 - Cryptococcus neoformans* species complex and, 81
- Pinus radiata*
 - Cryptococcus neoformans* species complex and, 78
- Plasmin/plasminogen
 - curli biogenesis and function, 140
- Plasticity
 - competence induction and, 463
 - Cryptococcus neoformans* species complex and, 93
 - RNA in icosahedral virus assembly and, 60–61
- Pneumococcus* spp.
 - history of research, 3–4
- pol* genes
 - environmental stress and lesion-bypass DNA polymerases, 234–38, 241
- Polyketide synthases
 - Roseobacter* lineage environmental biology and, 268
- Polymerase chain reaction (PCR)
 - Cryptococcus neoformans* species complex and, 72, 82–84, 90
 - multilocus sequence typing and, 567, 569, 577
 - Roseobacter* lineage environmental biology and, 257–58
 - uranium reduction and, 159
 - virulence genes in dimorphic fungal pathogens and, 287
- Polymerases
 - DnaA protein and, 351, 358–59, 363
 - environmental stress and lesion-bypass DNA polymerases, 231, 234–41
 - RNA replication structure and function, 305–6, 314–17
- Polymorphism
 - Cryptococcus neoformans* species complex and, 69, 72–73, 82, 87–90
- Population biology
 - adaptive mutation controversy and, 477–96
 - Cryptococcus neoformans* species complex and, 69
 - microbial genome architecture and, 327, 334–37
 - multilocus sequence typing and, 561, 564–66, 578–80, 582
- Pores
 - Tat pathway and, 380–83
- Porphyromonas gingivalis*
 - Mn²⁺ in transport and virulence, 189
 - multilocus sequence typing and, 577
- Positional direction of hypermutability model
 - adaptive mutation controversy and, 483
- Positive-strand RNA viruses
 - RNA replication structure and function, 306–10, 315–16
- Postzygotic isolation
 - Cryptococcus neoformans* species complex and, 90
- ppc* genes
 - Mn²⁺ in transport and virulence, 200
 - uranium reduction and, 156
- ppGpp synthases
 - Mn²⁺ in transport and virulence, 200–1
- ppk* genes
 - adaptive mutation controversy and, 490
 - environmental stress and lesion-bypass DNA polymerases, 243
- pre* genes
 - history of research, 7
- Prezygotic isolation
 - Cryptococcus neoformans* species complex and, 90
- Prion diseases
 - curli biogenesis and function, 131, 138
- prm* genes
 - history of research, 7
- Probiotics
 - Roseobacter* lineage environmental biology and, 269–70
- Processivity
 - environmental stress and lesion-bypass DNA polymerases, 231
 - RNA replication structure and function, 313
- Prochlorococcus* spp.
 - Roseobacter* lineage environmental biology and, 260
- Promiscuous enzymes
 - microbial metabolism and, 539
- Promoters
 - adaptive mutation controversy and, 490
- Prorocentrum* spp.
 - Roseobacter* lineage environmental biology and, 268–69
- Protein folding
 - RNA silencing and, 515–16
 - surface proteins of gram-positive bacteria and, 411–13
 - Tat pathway and, 373–88
- α -Proteobacteria
 - Roseobacter* lineage environmental biology and, 255

- Proteomics
virulence genes in dimorphic fungal pathogens and, 293
- Proteorhodopsin
Roseobacter lineage environmental biology and, 260
- Protogonyaulax* sp.
Roseobacter lineage environmental biology and, 268
- PrsA* gene
surface proteins of gram-positive bacteria and, 412–13
- psa* genes
Mn²⁺ in transport and virulence, 199
- Pseudoalteromonas* spp.
Roseobacter lineage environmental biology and, 269
- Pseudomonas aeruginosa*
arsenic and selenium in microbial metabolism, 120
Cryptococcus neoformans species complex and, 78–79
Mn²⁺ in transport and virulence, 191, 199–200
multilocus sequence typing and, 576
Roseobacter lineage environmental biology and, 271
Tat pathway and, 385–86
- Pseudomonas* spp.
arsenic and selenium in microbial metabolism, 111, 113, 120
history of research, 16
Roseobacter lineage environmental biology and, 268, 270–71
type III effector proteins and, 428
uranium reduction and, 159
- Pseudomonas syringae*
arsenic and selenium in microbial metabolism, 120
Tat pathway and, 386
type III effector proteins and, 425–27, 429–31, 433–34, 436, 438–40
- Pro* genes
type III effector proteins and, 432–33, 437, 440
- PubMLST isolate database
multilocus sequence typing and, 571–73, 578
- puf* genes
Roseobacter lineage environmental biology and, 260–62
- Pulmonary defenses
virulence genes in dimorphic fungal pathogens and, 283–84
- PulseNet system
multilocus sequence typing and, 567
- pur* genes
adaptive mutation controversy and, 491–92
microbial metabolism and, 541–45
- pyk* genes
Mn²⁺ in transport and virulence, 200
- Pyridoxal 5'-phosphate
radical enzymes in anaerobes and, 32–33
- Pyrobaculum aerophilum*
arsenic and selenium in microbial metabolism, 118
- Pyrococcus furiosus*
environmental stress and lesion-bypass DNA polymerases, 242–43
- Pyruvate
radical enzymes in anaerobes and, 27, 29–42
- Pythium ultimum*
type III effector proteins and, 428
- Q**
- Qbeta paradigm
RNA replication structure and function, 314, 317
- Quality control
Tat pathway and, 383–85
- Quorum sensing
competence induction and, 453, 461
Roseobacter lineage environmental biology and, 255, 257, 270–71, 273
- R**
- Radical enzymes
in anaerobes
S-adenosylmethionine radical enzymes, 32–34
coenzyme B₁₂-dependent enzymes, 30–31
conclusions, 42
evolution, 28–30
flavins, 39–40
future research, 43
generation of radicals, 30
glycyl radical enzymes, 34–36
introduction, 28
ketyl radical anions, 36–39
methane-forming enzymes, 40–42
one-electron reductions, 36–39
pyruvate-oxidizing enzymes, 40–42
summary points, 42–43
- Ralstonia solanacearum*
type III effector proteins and, 425, 427, 429, 433–34, 438–39

- Random genetic drift
 - microbial genome architecture and, 327, 333, 342
- Randomly amplified polymorphic DNA (RAPD) analysis
 - Cryptococcus neoformans* species complex and, 72–73, 82
- rap* genes
 - competence induction and, 460
- RDR* genes
 - RNA silencing and, 507–8, 518, 521
- Reaction centers
 - Roseobacter* lineage environmental biology and, 260, 262–63
- Reactive nitrogen species (RNS)
 - virulence genes in dimorphic fungal pathogens and, 283, 290
- Reactive oxygen species (ROS)
 - environmental stress and lesion-bypass DNA polymerases, 231, 244
 - virulence genes in dimorphic fungal pathogens and, 283, 285, 290
- rec* genes
 - adaptive mutation controversy and, 482, 484, 487
 - competence induction and, 456–57, 463
 - environmental stress and lesion-bypass DNA polymerases, 233, 238–39
- Recombination
 - adaptive mutation controversy and, 488, 496
- Red clover necrotic mosaic virus
 - RNA in icosahedral virus assembly and, 63
- Redox reaction
 - Tat pathway and, 373–88
- Reductases
 - arsenic and selenium in microbial metabolism, 107, 115–18, 121–22
 - uranium reduction and, 152–56
- Reduction
 - uranium reduction and, 149–60
- rekA* gene
 - environmental stress and lesion-bypass DNA polymerases, 243
- relA* gene
 - history of research, 13
 - Mn²⁺ in transport and virulence, 200
- Reoxidation
 - uranium reduction and, 149, 159–60
- Replicases
 - DnaA protein and, 351, 358–59, 363
- Replication
 - coronavirus replication and virus-host interaction, 211–22
 - DnaA protein and, 351–63
 - RNA replication structure and function, 305–17
- Reporter genes
 - virulence genes in dimorphic fungal pathogens and, 286
- Repressors
 - adaptive mutation controversy and, 491–92
 - history of research, 1, 7–8
 - type III effector proteins and, 435–37
- Reproduction
 - Cryptococcus neoformans* species complex and, 69, 80, 84–90, 92–93
- Respiration
 - arsenic and selenium in microbial metabolism, 107–9, 111
- Resting organisms in a structured environment (ROSE) phenomenon
 - adaptive mutation controversy and, 491
- Restriction fragment length polymorphism (RFLP)
 - Cryptococcus neoformans* species complex and, 82
- Retroviruses
 - adaptive mutation controversy and, 492
 - Cryptococcus neoformans* species complex and, 70, 72, 83, 88
- Reversion experiment
 - adaptive mutation controversy and, 481–82, 492
- R* genes
 - history of research, 4
 - type III effector proteins and, 429, 432
- Rhizobiales* spp.
 - Roseobacter* lineage environmental biology and, 270
- Rhizobium* spp.
 - arsenic and selenium in microbial metabolism, 116–17
 - Mn²⁺ in transport and virulence, 190
 - type III effector proteins and, 425, 428
- Rhodobacter sphaeroides*
 - arsenic and selenium in microbial metabolism, 116–17
 - Roseobacter* lineage environmental biology and, 261, 263
- Rhodocyclus tenuis*
 - arsenic and selenium in microbial metabolism, 120
- Rhodospirillum rubrum*
 - arsenic and selenium in microbial metabolism, 120

- arsenic and selenium in microbial metabolism, 116–17
- Rhodomonas* spp.
 - Roseobacter* lineage environmental biology and, 269
- Rhodopseudomonas palustris*
 - arsenic and selenium in microbial metabolism, 113
- Rhodospirillum rubrum*
 - arsenic and selenium in microbial metabolism, 120
- Rhodovulum sulfidophilum*
 - arsenic and selenium in microbial metabolism, 116, 121
- Rickettsia prowazekii*
 - Tat pathway and, 374, 379
- RIDA activity
 - DnaA protein and, 358–60
- Rifampicin resistance
 - DnaA protein and, 351, 354, 362–63
- rin4* gene
 - type III effector proteins and, 426, 435–37
- RNA folding
 - RNA in icosahedral virus assembly and, 60
- RNA interference (RNAi)
 - virulence genes in dimorphic fungal pathogens and, 286, 290, 295
- RNA packaging
 - RNA in icosahedral virus assembly and, 51–54
- RNA polymerase
 - RNA replication structure and function, 305–6, 314–17
- RNA replication
 - viral
 - cap primers, 312
 - cellular biology, 315–16
 - chain elongation, 313
 - chain initiation, 312–13
 - compartmentalization, 315
 - competing processes, 316–17
 - coordination, 316–17
 - double-stranded RNA viruses, 311
 - fidelity, 313
 - future research, 317
 - host factors, 313–15
 - mechanisms, 311–13
 - negative-strand RNA viruses, 309–10, 316
 - outline, 306–10
 - polypeptides, 312
 - positive-strand RNA viruses, 306–10, 315–16
 - processivity, 313
 - Qbeta paradigm, 314
 - replication complexes, 314–15
 - short oligonucleotides, 312–13
 - steps, 311–13
 - summary points, 317
 - template recognition, 311–12, 315
 - transcription, 315–16
 - translation, 316–17
 - viral polymerase, 314–15
- RNA silencing
 - amplification, 506–7
 - animals, 510–13
 - B2, 516
 - cell-based assays, 510
 - coinfiltration, 509
 - cross-suppression, 513
 - DNA viruses, 520
 - dsRNA binding, 515–16
 - effector complex assembly, 505–6
 - evasion, 522
 - evolution, 513–14, 516
 - exploitation, 522–23
 - future research, 521–23
 - genetic control, 521
 - grafting, 509–10
 - inhibition, 519–20
 - innate immunity, 508
 - insects, 511
 - introduction, 504–5
 - invertebrates, 508
 - mammals, 508, 511–13
 - miRNAs, 520
 - noncell autonomous silencing, 507
 - NS1, 516
 - P19, 516
 - plants, 507–8, 511–13
 - protein folding, 515–16
 - sequestration, 518–19
 - siRNA, 516–19
 - small RNA production, 505
 - structured viral RNAs, 511–12
 - summary points, 523
 - suppressors, 509–20
 - transitive silencing, 506–7
 - vertebrates, 511–13
 - viral infection, 507–8
- Roseatales depolymerans*
 - Roseobacter* lineage environmental biology and, 261
- Roseobacter* lineage
 - environmental biology and
 - abundance, 257

- adaptation, 263–64
- aerobic anoxygenic phototrophy, 260–64
- antibiotics, 270–71
- carbon monoxide oxidation, 264–65
- cyclic phosphorylation, 261–62
- dinoflagellate toxins, 267–68
- diversity, 257–59
- DMS, 265
- DMSP, 265–66
- ecology, 261
- eukaryotic hosts, 267–70
- future research, 273
- genomes, 271–72
- introduction, 256–57
- marine algae, 268–69
- metagenomes, 271–72
- mutualism, 267–70
- outlook, 272
- pathogenesis, 267–70
- pigments, 262
- probiotics, 269–70
- quorum sensing, 270–71
- reaction centers, 263
- regulation, 263
- sulfur cycling, 265–67
- summary points, 272–73
- symbiosis, 267–70
- unresolved issues, 273
- Roseococcus tolerans*
 - Roseobacter* lineage environmental biology and, 262
- rpoS* gene
 - adaptive mutation controversy and, 490
 - curli biogenesis and function, 135–36
 - environmental stress and lesion-bypass DNA polymerases, 233, 242–43
- rseC* gene
 - microbial metabolism and, 545–46
- Rubisco
 - Roseobacter* lineage environmental biology and, 262
- Ruegeria* spp.
 - Roseobacter* lineage environmental biology and, 258, 271
- Ruminococcus* spp.
 - surface proteins of gram-positive bacteria and, 408
- S**
 - sac* genes
 - DnaA protein and, 363
 - environmental stress and lesion-bypass DNA polymerases, 243
 - Saccharomyces cerevisiae*
 - Cryptococcus neoformans* species complex and, 88, 91–92
 - environmental stress and lesion-bypass DNA polymerases, 235–37
 - microbial genome architecture and, 331
 - microbial metabolism and, 535, 538
 - Mn²⁺ in transport and virulence, 190, 192
 - virulence genes in dimorphic fungal pathogens and, 290
 - S-adenosylmethionine (SAM)
 - microbial metabolism and, 546
 - radical enzymes in anaerobes and, 27, 30–34
 - Salinibacter ruber*
 - Tat pathway and, 378
 - Salmonella enterica*
 - arsenic and selenium in microbial metabolism, 120
 - environmental stress and lesion-bypass DNA polymerases, 231
 - Francisella tularensis* and, 170
 - microbial metabolism and, 540, 547
 - Mn²⁺ in transport and virulence, 188–200
 - multilocus sequence typing and, 562–63, 565, 577
 - Tat pathway and, 376, 384
 - Salmonella* spp.
 - adaptive mutation controversy and, 489, 493
 - curli biogenesis and function, 131–33, 135–38, 141
 - microbial metabolism and, 543, 545, 547, 549
 - type III effector proteins and, 426
 - Salmonella typhimurium*
 - arsenic and selenium in microbial metabolism, 117–18
 - environmental stress and lesion-bypass DNA polymerases, 231, 237–38, 240–41
 - Francisella tularensis* and, 170
 - microbial metabolism and, 535
 - Mn²⁺ in transport and virulence, 188–200
 - multilocus sequence typing and, 577
 - Same-sex reproduction
 - Cryptococcus neoformans* species complex and, 85, 89–90
 - sasR* gene
 - history of research, 13
 - Satellite tobacco mosaic virus
 - RNA in icosahedral virus assembly and, 55–56
 - Scaling
 - microbial genome architecture and, 327, 329

- Schizophyllum commune*
Cryptococcus neoformans species complex and, 89
- Scophthalmus maximus*
Roseobacter lineage environmental biology and, 258, 269
- Scopulariopsis brevicaulis*
arsenic and selenium in microbial metabolism, 112–13
- Secretion systems
surface proteins of gram-positive bacteria and, 402–3
type III effector proteins and, 425–41
- Sec translocon
surface proteins of gram-positive bacteria and, 399–400, 403, 410
Tat pathway and, 373, 386–87
- Selection
adaptive mutation controversy and, 477–96
- Selenium
microbial metabolism and, 107–22
- Selenocysteine
arsenic and selenium in microbial metabolism, 107, 119–21
- Selfish DNA hypothesis
microbial genome architecture and, 332–33
- Septum
surface proteins of gram-positive bacteria and, 409, 411
- seqA* gene
DnaA protein and, 351, 354–57
- Sequestration
RNA silencing and, 518–19
uranium reduction and, 149–60
- ser* genes
arsenic and selenium in microbial metabolism, 121
- Sexual reproduction
Cryptococcus neoformans species complex and, 69, 80, 84–86, 90, 92–93
- sfiA* gene
environmental stress and lesion-bypass DNA polymerases, 241
- Shewanella* spp.
arsenic and selenium in microbial metabolism, 115–20
Francisella tularensis and, 171
Mn²⁺ in transport and virulence, 189, 198
surface proteins of gram-positive bacteria and, 403
Tat pathway and, 384
uranium reduction and, 151–56
- Shigella* spp.
type III effector proteins and, 426, 438
- Shotgun clone library
Roseobacter lineage environmental biology and, 257
- Signal peptidases
surface proteins of gram-positive bacteria and, 401–2
- Signaling
competence induction and, 460–62
coronavirus replication and virus-host interaction, 212–15
history of research, 12–14
Tat pathway and, 375–76
- Signal recognition particle
surface proteins of gram-positive bacteria and, 401
- Silicibacter pomeroyi*
Roseobacter lineage environmental biology and, 255, 257–58, 264, 270–71
- Single-stranded positive-sense RNA [(+)ssRNA]
RNA in icosahedral virus assembly and, 51–64
- Sinorhizobium meliloti*
arsenic and selenium in microbial metabolism, 115, 120
Mn²⁺ in transport and virulence, 190
Roseobacter lineage environmental biology and, 258–59
- sit* genes
Mn²⁺ in transport and virulence, 192–97
- S-layer proteins
surface proteins of gram-positive bacteria and, 408
- Slime secretion
history of research, 16–18
- sloC* gene
Mn²⁺ in transport and virulence, 199
- Small-flux changes
microbial metabolism and, 539
- smm* genes
surface proteins of gram-positive bacteria and, 402–3
- Sobrinicide
competence induction and, 464–67
- Social motility
history of research, 15–16
- Sodalis glossinidius*
microbial genome architecture and, 342
- sod* genes
environmental stress and lesion-bypass DNA polymerases, 242
Mn²⁺ in transport and virulence, 199–200
- Sortases

- surface proteins of gram-positive bacteria and, 403–6
- SOS response
 - adaptive mutation controversy and, 482–83, 487–88
 - competence induction and, 451, 461, 463–67
 - environmental stress and lesion-bypass DNA polymerases, 231–45
- SOWgp
 - virulence genes in dimorphic fungal pathogens and, 281, 287–89, 295
- Speciation
 - Cryptococcus neoformans* species complex and, 90–92
- Split decomposition
 - multilocus sequence typing and, 574
- Sporothrix schenckii*
 - virulence genes in dimorphic fungal pathogens and, 282, 290
- spoT* gene
 - Mn²⁺ in transport and virulence, 200–1
- ssbB* gene
 - competence induction and, 456, 461–62
- ssr* genes
 - environmental stress and lesion-bypass DNA polymerases, 243–44
- Staphylococcus aureus*
 - arsenic and selenium in microbial metabolism, 114
 - Cryptococcus neoformans* species complex and, 78
 - Mn²⁺ in transport and virulence, 189, 191, 195, 199–200
 - radical enzymes in anaerobes and, 34
 - surface proteins of gram-positive bacteria and, 403–4, 406, 408, 410
 - Tat pathway and, 374
- Staphylococcus epidermidis*
 - Mn²⁺ in transport and virulence, 189
 - multilocus sequence typing and, 577
- Stappia stellulata*
 - Roseobacter* lineage environmental biology and, 269
- START2 package
 - multilocus sequence typing and, 574
- Starvation
 - environmental stress and lesion-bypass DNA polymerases, 231–32
- Stationary-phase mutagenesis
 - adaptive mutation controversy and, 477, 491
- Stigmatella aurantica*
 - history of research, 10, 14
- Streamlining
 - microbial genome architecture and, 327–43
- Streptococcus pneumoniae*
 - competence induction and, 451–57, 460–67
 - Mn²⁺ in transport and virulence, 189, 198–99
 - multilocus sequence typing and, 562–63, 576
 - surface proteins of gram-positive bacteria and, 407
- Streptococcus* spp.
 - Mn²⁺ in transport and virulence, 189, 193, 195, 198–99
 - multilocus sequence typing and, 576
 - radical enzymes in anaerobes and, 31
 - surface proteins of gram-positive bacteria and, 401, 404–7, 410–11, 413
- Streptomyces* spp.
 - Cryptococcus neoformans* species complex and, 79
 - Tat pathway and, 375, 377
- Streptomycin
 - competence induction and, 462
- Stress-induced mutagenesis
 - adaptive mutation controversy and, 482–83, 490–92, 496
- Stress response
 - competence induction and, 451–67
 - coronavirus replication and virus-host interaction, 211
 - environmental stress and lesion-bypass DNA polymerases, 231
- Structural plasticity
 - RNA in icosahedral virus assembly and, 60–61
- Succinyl-CoA
 - radical enzymes in anaerobes and, 31
- Sulfolobus* spp.
 - arsenic and selenium in microbial metabolism, 108, 117–18
 - environmental stress and lesion-bypass DNA polymerases, 231, 242–45
- Sulfur cycle
 - Roseobacter* lineage environmental biology and, 255–56, 265–67, 273
- Sulfurospirillum* spp.
 - arsenic and selenium in microbial metabolism, 109, 111, 116–18
- Superoxide dismutase
 - Mn²⁺ in transport and virulence, 199–200
- Suppressors
 - microbial metabolism and, 548–49
 - RNA silencing and, 503, 509–23
- Surface proteins
 - gram-positive bacteria and
 - asymmetric surface localization, 409–12
 - autolysins, 409–12

- cellulosome, 408–9
 - cell wall, 399, 403–6
 - choline-binding proteins, 407
 - conclusions, 413–14
 - covalent attachment, 403–6
 - cytoplasmic membrane, 399–403
 - ExPortal, 410
 - foldases, 412
 - future research, 413–14
 - genomes, 403–5
 - gram-positive bacteria, 403–5
 - GW repeat modules, 407–8
 - introduction, 398–99
 - LTA, 407–8
 - LysM domain, 409
 - miscellaneous surface proteins, 413
 - nomenclature, 406
 - noncovalent attachment, 406–9
 - peptidoglycan, 403–6
 - pili, 405–6
 - poles, 409, 411
 - polymerization, 405–6
 - protein folding, 411–13
 - PrsA*, 412–13
 - Sec pathway, 399–400, 403, 410
 - secretion systems, 402–3
 - septum, 409, 411
 - signal peptidases, 401–2
 - signal recognition particle, 401
 - S-layer proteins, 408
 - ssm* pathway, 402–3
 - sortases, 403–6
 - SrtA, 403
 - Streptococcus pneumoniae*, 407
 - summary points, 414
 - teichoic acid, 406–7
 - transport, 399–403
- Surfactin
- competence induction and, 458, 467
- Symbiobacterium* spp.
- arsenic and selenium in microbial metabolism, 120
- Symbiosis
- Roseobacter* lineage environmental biology and, 260, 267–70
 - type III effector proteins and, 425, 428
- Syncarpia glomulifera*
- Cryptococcus neoformans* species complex and, 77
- Synechococcus* spp.
- Roseobacter* lineage environmental biology and, 260
- Synechocystis* spp.
- history of research, 16
 - Mn²⁺ in transport and virulence, 190, 193
 - Systematic evolution of ligands by exponential enrichment (SELEX) technique
 - RNA replication structure and function, 311–12
- Syzygium cumini*
- Cryptococcus neoformans* species complex and, 78
- T
- tat* genes
- Tat pathway and, 373–88
- Teichoic acid
- surface proteins of gram-positive bacteria and, 406–7
- Temperature
- environmental stress and lesion-bypass DNA polymerases, 231–32, 242–45
- Template recognition
- RNA replication structure and function, 311–12, 315
- Template switching
- coronavirus replication and virus-host interaction, 211
- Terminalia catappa*
- Cryptococcus neoformans* species complex and, 77
- tetA* gene
- adaptive mutation controversy and, 485–87
- Tetracycline
- competence induction and, 462
- Tbaura* spp.
- arsenic and selenium in microbial metabolism, 116, 118, 121
 - radical enzymes in anaerobes and, 35, 37
- Thermoplasma* spp.
- Tat pathway and, 376
- Thermoterrabacterium ferrireducens*
- uranium reduction and, 154
- Thermus* spp.
- arsenic and selenium in microbial metabolism, 108, 116–18
- Thiamine
- microbial metabolism and, 540–43, 545–46
 - radical enzymes in anaerobes and, 42
- Thiobacillus* spp.
- arsenic and selenium in microbial metabolism, 111
 - uranium reduction and, 160
- Thioflavin T
- curli biogenesis and function, 138–39
- Tissue plasminogen activator (t-PA)

- curli biogenesis and function, 140
- TMAO reductase
 - arsenic and selenium in microbial metabolism, 116
- Tobacco mosaic virus
 - history of research, 5
 - RNA in icosahedral virus assembly and, 63
- Toll-like receptor 2 (TLR2)
 - curli biogenesis and function, 140–41
- topA* gene
 - DnaA protein and, 356
- torD* gene
 - Tat pathway and, 384
- tra* genes
 - adaptive mutation controversy and, 483, 490
- Transcription
 - coronavirus replication and virus-host interaction, 211–22
 - RNA replication structure and function, 315–16
- Transcriptomics
 - competence induction and, 454
- Transformation
 - competence induction and, 451–67
- Transitive silencing
 - RNA silencing and, 506–7
- Translation
 - coronavirus replication and virus-host interaction, 211–22
 - RNA replication structure and function, 316–17
- Translesion DNA synthesis
 - environmental stress and lesion-bypass DNA polymerases, 231
- Translocation
 - arsenic and selenium in microbial metabolism, 117
 - surface proteins of gram-positive bacteria and, 410
 - Tat pathway and, 373, 380–83
- Transmission electron microscopy (TEM)
 - uranium reduction and, 153
- Transport
 - Mn²⁺ in transport and virulence, 187–202
 - surface proteins of gram-positive bacteria and, 397–414
- Treponema* spp.
 - arsenic and selenium in microbial metabolism, 120
- Trimethylamine N-oxide (TMAO)
 - Tat pathway and, 376, 379
- Tropheryma whippelii*
 - surface proteins of gram-positive bacteria and, 403
- trp* genes
 - history of research, 6, 8, 11
 - microbial metabolism and, 544–45
- trxB* gene
 - Tat pathway and, 386
- Tularemia
 - Francisella tularensis* and, 167–78
- Tumor progression
 - adaptive mutation controversy and, 477
- Twin-arginine translocation (Tat) pathway
 - arsenic and selenium in microbial metabolism, 117
 - biotechnological applications, 386–87
 - export of proteins, 376–78, 385
 - introduction, 374–75
 - mechanistic considerations, 378–85
 - pathogenesis, 385–86
 - pore, 380–83
 - protein folding, 383–85
 - quality control, 383–85
 - signal peptides, 375–76
 - substrate proteins, 375–78
 - summary points, 387–88
 - Tat ABC proteins, 378–80
 - translocation, 380–83
- Type III effector proteins
 - AvrB, 435–36
 - AvrPto, 437
 - AvrRpm1, 435–38
 - AvrRpt2, 435–38
 - basal defense, 435–37
 - conclusions, 440
 - distribution, 437–40
 - genomics, 439–40
 - HopAB2, 437
 - HopAR1, 435
 - introduction, 426–29
 - manipulation, 433–40
 - NB-LRR proteins, 435
 - PBS1, 435
 - repressor, 435–37
 - RIN4, 435–37
 - subterfuge, 429–40
 - summary points, 440–41
 - virulence, 429–40
- U
 - umu* genes
 - environmental stress and lesion-bypass DNA polymerases, 233–34, 238–39

- Unweighted pair group method with arithmetic mean (UPGMA)
 multilocus sequence typing and, 573
- Uranium reduction
 microbial
 bioavailable uranium complexes, 152–53
 bioremediation, 157–59
 cellular location of UO_2 precipitates, 153–54
 competition between U(VI) and other electron acceptors, 156–57
 Desulfococcus vulgaris reductases, 154
 establishment, 151–52
 Geobacter reductases, 156
 introduction, 150–51
 nanowires, 156
 reoxidation, 159–60
 Shewanella reductases, 154–56
 single-electron reduction, 153
 summary points, 160
 two-electron reduction, 153
 uranium reductases, 152–56
 uraninite, 149–60
- Urease
 virulence genes in dimorphic fungal pathogens and, 281, 287, 289, 295
- URE gene
 virulence genes in dimorphic fungal pathogens and, 289
- Uroleucon ambrosiae*
 microbial genome architecture and, 341
- uvr* genes
 environmental stress and lesion-bypass DNA polymerases, 238
- uvrA* gene
 environmental stress and lesion-bypass DNA polymerases, 233
- V
- Veillonella alcalescens*
 uranium reduction and, 151
- Verticillium lecanii*
 Cryptococcus neoformans species complex and, 92
- Vibrio* spp.
 Mn^{2+} in transport and virulence, 200
 multilocus sequence typing and, 570, 577, 581
 Roseobacter lineage environmental biology and, 269–71
- Virulence
 Cryptococcus neoformans species complex and, 69, 78–88
 dimorphic fungal pathogens and, 281–95
 Francisella tularensis and, 167, 172, 178
 Mn^{2+} in transport and virulence, 187–202
 Tat pathway and, 373
 type III effector proteins and, 429–40
- Viruses
 adaptive mutation controversy and, 492
 coronavirus replication and virus-host interaction, 211–22
 history of research, 5
 microbial genome architecture and, 342
 RNA in icosahedral virus assembly and, 51–64
 RNA replication structure and function, 305–17
 RNA silencing and, 503–23
- W
- Wigglesworthia* spp.
 microbial genome architecture and, 341–42
- Wild-type strains
 microbial metabolism and, 538–39
- Wolbachia persica*
 Francisella tularensis and, 168
- Wolinella succinogenes*
 arsenic and selenium in microbial metabolism, 116–18
- X
- Xanthomonas campestris*
 type III effector proteins and, 425, 427, 429–30, 433–35
- Xenopus laevis*
 Mn^{2+} in transport and virulence, 190
- xis* genes
 history of research, 7
- X-ray crystallography
 radical enzymes in anaerobes and, 34, 37
 RNA in icosahedral virus assembly and, 51–64
- X-state
 competence induction and, 454–56, 466
- Y
- ydiV* gene
 Mn^{2+} in transport and virulence, 200
- Yeasts
 adaptive mutation controversy and, 492
 arsenic and selenium in microbial metabolism, 114
 Cryptococcus neoformans species complex and, 69–93

- curli biogenesis and function, 139
 - DnaA protein and, 359
 - environmental stress and lesion-bypass DNA polymerases, 233, 235–37
 - microbial genome architecture and, 331
 - microbial metabolism and, 535, 538
 - Mn²⁺ in transport and virulence, 190, 192
 - virulence genes in dimorphic fungal pathogens and, 282–95
- Yersinia* spp.
 - arsenic and selenium in microbial metabolism, 120
 - Mn²⁺ in transport and virulence, 189, 198–200
 - multilocus sequence typing and, 563
 - type III effector proteins and, 433, 438–39
- Yet another typing method (YATM)
 - multilocus sequence typing and, 563
- Y-family DNA polymerases
 - environmental stress and lesion-bypass DNA polymerases, 231, 234–36
- yggX* gene
 - microbial metabolism and, 546
- ygiF* gene
 - microbial metabolism and, 547–48
- YPS3* gene
 - virulence genes in dimorphic fungal pathogens and, 287, 293
- Z**
- Zoonosis
 - Francisella tularensis* and, 167–78

